


WeatherStation® Multisensors for Military Applications

Compact, Rugged Instrument for Informed Decision-Making



Airmar's ultrasonic WeatherStation® instruments deliver accurate, reliable weather data from a rugged, compact, maintenance-free design with no moving parts. These all-in-one multisensors can measure up to seven different parameters plus calculated values and deliver that data on protocols used by marine and land-based systems.

Airmar's best-in-class WeatherStation instruments take sensing to the next level with the measurement of SOG/COG, pitch & roll, rate-of-turn, and position. The integrated 3-axis compass and GNSS enable the unique measurement of dynamic true wind speed and direction from mobile platforms.



Ultrasonic Wind Measurement
Dynamic True and Apparent wind speed and direction with no moving parts



GNSS-Enabled
Position, COG, SOG, time stamping



3-Axis Rate Gyro
For rate-of-turn data



Barometric Pressure
Accurate atmospheric pressure measurement



3-Axis Accelerometer
For pitch and roll



Relative Humidity (optional)
Field serviceable RH sensor with calculated dew point



Air Temperature
With calculated heat index and wind chill when RH module is installed



3-Axis Compass
With dynamic stabilization and better than 1° accuracy




Solar Stabilization
Solar radiation shield increases the accuracy and stability of temperature and relative humidity readings



Rain Measurement
Maintenance free acoustic rain measurement including duration, intensity and amount with 95% accuracy

Understanding Dynamic True and Apparent Wind

Airmar's WeatherStation Instruments calculate both dynamic true and apparent wind speed and direction. Dynamic true wind is the wind relative to North but also corrected for the speed and direction of the vessel. WeatherStation WX instruments integrate a GPS and 3-Axis compass, which allows for the calculation of the dynamic true wind speed and direction based upon the apparent wind, speed of the vehicle, and vehicle heading. Dynamic True wind measurement can be critical for any application where the platform is moving.



Custom colors and camo patterns available.

	110WX	300WX	300WX-IPX7	300WXH-Heated	150WXS	150WXS
Apparent wind speed and angle	✓	✓	✓	✓	✓	✓
Dynamic True wind speed and direction		✓	✓	✓	✓	✓
Barometric pressure	✓	✓	✓	✓	✓	✓
Air temperature	✓	✓	✓	✓	✓	✓
GNSS-Enabled (Position, COG, SOG)		✓	✓	✓	✓	✓
Three-axis accelerometer for pitch & roll		✓	✓	✓	✓	✓
Two-axis solid-state compass: Better than 1° static compass accuracy					✓	
Three-axis solid-state compass with dynamic stabilization: Better than 1° static compass accuracy Best-in-class 2° dynamic compass accuracy		✓	✓	✓		✓
Three-axis rate gyros provide rate-of-turn data		✓	✓	✓		✓
Solar shield stabilized temperature					✓	✓
Rain accumulation, duration, intensity						✓
Relative humidity (field-serviceable) Calculated dew point Calculated heat index	✓ Optional	✓ Optional			✓ Standard	✓ Standard
Weatherproof rating	IPX6*	IPX6*	IPX7	IPX6	IPX4	IPX4
Operating voltage	9-40 VDC	9-40 VDC	9-40 VDC	12-24 VDC	9-40 VDC	9-40 VDC
Wireless connectivity to CAST app		✓	✓	✓		
Automatic Baud Rate Detection (250kbps/500kbps)		✓	✓	✓		
Output options include: Hardware Interfaces: Serial RS232, Serial RS422, CAN Protocols: NMEA 0183, NMEA 2000®, ISOBUS, J1939 Serial Data Transmission Code: ASCII	✓	✓	✓	✓ (0183 only)	✓	✓

* Rating stated is without optional RH sensor installed.



WEATHERSTATIONWX.COM

©2024 AIRMAR Technology Corporation
WXMILITARY_SHEET_rB 04/11/24
As AIRMAR constantly improves its products, all specifications are subject to change without notice. All AIRMAR products are designed to provide high levels of accuracy and reliability, however they should only be used as aids to navigation and not as a replacement for traditional navigation aids and techniques. WeatherStation® and are registered trademarks and trademarks of AIRMAR Technology Corporation. AMPHENOL is a registered trademark of Amphenol Corporation. Other company or product names mentioned in this document may be trademarks or registered trademarks of their respective companies, which are not affiliated with AIRMAR.

